



Advantages:

Helps eliminate  
a physical  
Keyboard. The  
Keyboard is now  
displayed on LCD.




The LCD Screen can be pull down manually or automatically when the System is to be used for Internet or Teleconferencing.

To use the Stereo, the screen retracts concurrently (concave shaped LCD Screen) allowing the stereo system to fit into slot. Since the gold package of the Integrated Car Dubbing System has the retractable stereo deck, the LCD screen becomes practicable for use during Internet surfing. The screen displays video functions as a monitor and a lighted LCD Keyboard for typing.




*Fig. 1*




*Fig. 2*


Fig.1A

MULTI DIRECTIONAL  
ANTENNA RECEPTALES  
RETRACTABLE/STATIONARY MODEL  
INTEGRATED CAR DUBBING SYSTEM  
ICDS-SIDEDLE Gold Series Product By: PHILLIP'S RESEARCH







*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*




DIAGRAM 1 OF FIG-1A  
INTEGRATED CAR DUBBING SYSTEM<sup>TM</sup>  
ICDS<sup>TM</sup> SISEDLE GOLD SERIES PRODUCT




# Phillip's Research & Commercial Enterprises



INSERT  
PAGE 5-a DIAGRAM 1A

## INTEGRATED CAR DUBBLING SYSTEM™ (WITH OPTIONS)

Diary 2  
of Figure 1



**SUMMARY OF FEATURES OF INTEGRATED CAR DUBBLING SYSTEM™**  
OR PATENT AND REGISTERED TRADEMARK  
NEW MUSICAL RELEASE SENSOR  
LIVE MUSICAL AWARD SENSOR  
UNITARY CASSETTE DECK  
COMMERCIAL FREE SENSOR  
ACCESS INTERNET/AINUF  
SENSORS/DETECTORS  
MICRO CAMERA EYE ON/OFF BUTTON  
SENSOR  
THERMAL/PHOTO PRINTOUT ROLLER  
DELIVERY TRAY FOR Thermal/Photo  
PERFORATED FLAT PAPER  
DUAL TRACKS DISC FOR AUDIO-VIDEO  
PLAYBACK DUBBLING CPU detects  
RECORD commercial/STATION BREAKS  
connected AND PAUSE momentarily  
DUBBLING CPU FOR  
LOGICAL CONTROLS  
OF FEATURES' SENSORS.  
PRODUCT SECURITY  
Features  
RETRACTABLE  
STEREO TACK

Records Images/Audio/video on any media (Tape or Disk) that is blank  
Blank media only record Memory Trigger Board fully integrated with the Car Dubbling mother Board (main computer circuitry)

### Models

- 1) CSISX - out Commercial Sensor/detector
- 2) SIS - Commercial Super Sensor chip
- 3) SISE - Erasing Key has the retractable deluxe System (push in) against Vandalism and theft proof knowing the SISE die or limited


THE COMPLETE SYSTEM IS A FULLY INTEGRATED CAR DUBBLING SYSTEM WITH LISTED OPTIONS

PATENT: INTEGRATED CAR DUBBLING SYSTEM WITH NEW MUSICAL RELEASE, LIVE MUSICAL AWARD, HIGH SPEED DUB ERASE, CD ROM DECK, AIN, AINUF, CYBERSPACE, PERSONALIZED CYBERSPACE, E-MAIL, AUDIO/VERBAL, CONFERRING



INSERT PAGE 5-6  
DIAGRAM 1B

LOGIC, CPU, CIRCUITRY, SUPER SENSOR AND MEMORY SPK  
DIAGRAM - BLUE PRINT



Product - Logo - ICDs SIDE

INTEGRATED CAR DUBBING SYSTEM™

SHOWING OPTIONAL FEATURES

AVAILABLE AS A GOLD PACKAGE OR IN THREE (>) MODELS  
WITH CONSUMER CHOICE OF OPTION(S)

Providing World-Wide Services





# Phillip's Research & Commercial Enterprises

INSERT PAGE 5-C  
DIAGRAM 1E

2003 Present

## INTEGRATED CAR DUBBING SYSTEM™

The **SISE** Limited ← Original system → comes Standard as the latest Hi-Tech. Better Tape/Disc Quality Dubbing System

The **SISE** has the Retractable System (Push-In) dubbing deck against Vandalism Theft Proof

### CSISX® MODEL

Cont Commercial Sensor


### SIS® MODEL

Commercial Super Sensor chip

### SISE® MODEL

Erasing Key (DELUXE)

+ New musical release & musical awards sensor chips



High frequency commercial sensor

High speed Erasing

Frequency detector/Sets (stations) Disturbance detects Commercial Ad OR STAT. BREAK

It features the CSISX and SIS models + the Access Buttons + New mus. Release Radio with built-in frequency /st. Break Sensor Function Keys for three models Circuit Board System Integrated Super Sensor Chip (CSISX)

Patent Application For REGISTERED TRADEMARK UNDER THE NAME

: INTEGRATED CAR DUBBING SYSTEM™ WITH <E> THESE FEATURES

Commercial/Station BREAK/DISTORTION FREE DETECTOR/SENSOR

Cup holders

NEW MUSICAL RELEASE SENSOR/DETECTOR  
> MUSICAL AWARD SENSOR/DETECTOR

> AIN-ACCESS INTERNET - WORLD-WIDE WEB = WWW

> AINUF-ACCESS INTERNET USER'S FREQUENCY®

& MICRO CAMERA EYE & e-mail Photo Printout

Providing World-Wide Services

Surfing, e-mail, voice mail, Fax CAPABILITY  
PATENT: Car Dubbing System



UTILITY PATENT DIAGRAM/ILLUSTRATION OF THE  
ALLOWED DESIGN PATENT - STRUCTURAL EXPLANATION

UNITARY CASSETTE - CD ROM DECKS  
WITH RESERVE LOGIC<sup>®</sup> SOFTWARE  
EACH DECK HAS THE RECORD/PLAYBACK  
CAPABILITY





DIAGRAM 12 OF FIG. 1A



## UTILITY STRUCTURAL DIAGRAM/ILLUSTRATION

# COMPUTER CONTROL COMMAND WITH COMMERCIAL FREE - DISTORTION FREE DUBBING




DIAGRAM 3 OF FIG. 1A

## UTILITY STRUCTURAL DIAGRAM/ILLUSTRATION

# UNIT'S FRAME SHOWING PRODUCT AND COMPANY OR MANUFACTURER'S LOGO




FIG. 5A

utility & structural Diagram/Illustration  
of Technical and Software Technology  
needed to Manufacture  
the Integrated Car Dubbing System





DIAGRAM 4 OF FIG. 1A

LOGIC MEMORY SPACES

DIAGRAM 6 OF FIG. 1A



# USE OF FUNCTIONAL PARTS OF THE ICDS-SISER<sup>TM</sup>






DIAGRAM 5 OF FIG. 1





DIAG. 5A

FROM FIG. 3  
FROM DIAG. 6 OF FIG. 1  
SATELLITE, RADIO, T.V.  
DIGITAL SIGNAL  
DECODER      ENCODER  
                ↓      ↓  
                RECEIVER



ASSIGNED MEMORY  
SPACES

DIAGRAM 8 of FIG. 1A

DIAG. 9 OF FIG. 1A

RECEIVER TRANSFORMER Detector  
Decoded with Transistor, Chip  
& Digitized Signal Processor


AIN ACCESS INTERNET BUTTON  
AINUF USER'S FREQUENCY BUTTON  
CAMERA EYE BUTTON  
FCC, FDS COMMERCIAL DUBBING BUTTONS  
MEA MUSICAL ENTERTAINMENT BUTTON  
NEW MUSICAL RELEASE  
ACC. ACCESSORY MODULATOR

DUBBING CPU with T  
SUPER-SON  
MOTHERBOARD with

World Wide Web	Tele-conference Fax, E-Mail	Camera Eye Detector Scanner with Night Vision	Commercial Station Break Distortion Free Sensor	Live Musical Entertainment Awards Scanner Detector	New Musical Release Sensor-Detector	Optional Feature Accessory Modulator Sensor-Scanner
Scanner Internet	Voice-Mail Detector-Scanner					

Written Program Designed to control & command internet User's Fre	Personal Fax function With Assigned Memory Space	Assigned Memory Space for clock Alert, Video Impact recording	Applied Software to detect and eliminate for better dubbing & better quality-tape/disc	Inter Satellite Technology	Written Program to detect store & record Events	On line Banking Sports Children Special T.V. Road Navigator.
---	--	---	--	----------------------------	---	--

INTEGRATED DUBBING -CENTRAL PROCESSING UNIT with ASSIGNED MEMORY & MEMORY SPACES




091355 DIAGRAMS (091355) 1A

RECEIVER-TRANSFORMER  
Down Load Software from Satellite, T.V., Radio  
by the In-House Support Team

INTERNET-FAX FUNCTIONS

15



diag.10 of FIG.1A

09425504-062293

00135504-000000




FIG. 4A

Diagram

LCD SCREEN/MONITOR SHOWING INTERNET FUNCTIONS & KEYBOARD FUNCTION KEYS






DIAGRAM 11 of FIG. 1A



## RETRACTABLE ASSEMBLY HOUSING

OFF KEY IN  
ACC. POSI TION  
RETRACTS UNIT  
Or By-Pass RETRACT

KEY ON/START POSITION  
RETRIEVES ASSEMBLY or  
HOUSING UNIT



TO CAR ELECTRICAL  
ON/OFF SWITCH

DIAGRAM 13 of FIG. 1A